

Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)
Classifications according to Regulation (EC) No 1272/2008.
Printdate 01 Apr 2022

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product name:

Chloroform-d stab. with Ag

1.1. Catalog No.:

1054

1.2. Relevant identified uses of the substance or mixture

Identified: Laboratory chemical
uses: R&D

1.3. Uses advised against:

HPC Standards GmbH
Permoserstrasse 15

04318 Leipzig
Germany

Tel. +49 341 5295 183
Fax. +49 341 5295 182
E-mail: info@armar-europa.de

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008
Acute toxicity, Oral (Category 4), H302
Acute toxicity, Inhalation (Category 3), H331
Skin irritation (Category 2), H315
Eye irritation (Category 2), H319
Carcinogenicity (Category 2), H351
Reproductive toxicity (Category 2), H361d
Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336
Specific target organ toxicity - repeated exposure, Oral (Category 1), Liver, Kidney, H372

2.2. Label elements

2.2.1. Pictogram



2.2.2.

2.2 Label elements
Labelling according Regulation (EC) No 1272/2008

Pictogram Signal word Danger
Hazard statement(s)
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.
H361d Suspected of damaging the unborn child.
H372 Causes damage to organs (Liver, Kidney) through prolonged or repeated exposure if swallowed.
Precautionary statement(s)
P201 Obtain special instructions before use.
P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
Supplemental Hazard Statements
none
For use in industrial installations only.
2.3 Other hazards
This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances
Synonyms : Deuteriochloroform
Formula : CCl₃D
Molecular weight : 120,38 g/mol
CAS-No. : 865-49-6
EC-No. : 212-742-4
Component Classification Concentration
Chloroform-D1-Deuteration
Acute Tox. 4; Acute Tox.
3; Skin Irrit. 2; Eye Irrit.
≤ 100 % 2; Carc. 2; Repr. 2; STOT
SE 3; STOT RE 1; H302,
H331, H315, H319, H351,
H361d, H336, H372
Concentration limits:
20 %: STOT SE 3, H336;

3.1.1. Formula

CCl₃D

3.1.2. Molecular Weight (g/mol)

120.38

3.1.3. CAS-No.

865-49-6

4. FIRST AID MEASURES

4.1 Description of first-aid measures

General advice

First aider needs to protect himself. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with

water/ shower. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Hydrogen chloride gas

Not combustible.

Ambient fire may liberate hazardous vapours 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Store under inert gas. Light sensitive. hygroscopic

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters Components with workplace control parameters Component CAS-No. Value Control parameters

Basis

Chloroform-d

865-49-6

TWA 2 ppm

10 mg/m³

Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values Remarks

Identifies the possibility of significant uptake through the skin Indicative

TWA

2 ppm

9.9 mg/m³

UK. EH40 WEL - Workplace Exposure Limits

Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity. Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used

8.2 Exposure controls Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear

Color: colorless

b) Odor characteristic c) Odor Threshold No data available

d) pH No data available

e) Melting

point/freezing point

Melting point/range: -64 °C - lit.

f) Initial boiling point

and boiling range

60,9 °C - lit.

g) Flash point > 60 °C at ca.1.019,2 hPa - closed cup - Regulation (EC) No.

440/2008, Annex, A.9

h) Evaporation rate No data available

i) Flammability (solid,

gas)

No data available

j) Upper/lower

flammability or

explosive limits

No data available

k) Vapor pressure ca.265,31 hPa at ca.25 °C

l) Vapor density 4,12 - (Air = 1.0)

m) Relative density 1,500 g/cm³ at 25 °C

n) Water solubility 4,6 g/l at 20 °C - Regulation (EC) No. 440/2008, Annex, A.6

o) Partition coefficient:

n-octanol/water

log Pow: 1,5 at 20 °C - Bioaccumulation is not expected.

p) Autoignition

temperature

No data available

q) Decomposition

temperature

Distillable in an undecomposed state at normal pressure.

r) Viscosity No data available

s) Explosive properties No data available

t) Oxidizing properties No data available 9.2 Other safety information

Surface tension 72,3 mN/m at 0,99g/l at 20 °C

- Surface tension

Relative vapor

density

4,12 - (Air = 1.0)

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

no information available

10.5 Incompatible materials
Bases, Aluminum, Strong oxidizing agents, Magnesium, Sodium/sodium oxides, Lithium

10.6 Hazardous decomposition products

Other decomposition products - No data available

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen chloride gas

In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 908 mg/kg

(OECD Test Guideline 401)

Skin corrosion/irritation

Skin - Rabbit

Result: Irritating to skin. - 24 h

Remarks: (ECHA)

Drying-out effect resulting in rough and chapped skin.

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irritating to eyes.

Remarks: (ECHA)

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(Regulation (EC) No. 440/2008, Annex, B.6)

Germ cell mutagenicity

Ames test

Salmonella typhimurium

Result: negative

(ECHA)

In vitro mammalian cell gene mutation test

mouse lymphoma cells

Result: positive

(ECHA)

Rat - male - Bone marrow

Result: positive

(ECHA) Carcinogenicity

Suspected of causing cancer.

IARC: 2B - Group 2B: Possibly carcinogenic to humans (Chloroform-D1-Deuteration)

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

(in analogy to similar products) Specific target organ toxicity - repeated exposure

Oral - Causes damage to organs through prolonged or repeated exposure. - Liver, Kidney

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

No data available

Additional Information

RTECS: Not available

Vomiting, Gastrointestinal disturbance, Cough, irritant effects, Shortness of breath

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to daphnia

and other aquatic

invertebrates

static test EC50 - Daphnia magna (Water flea) - 79 mg/l - 48 h

Remarks: (ECHA)

Toxicity to algae static test ErC50 - Chlamydomonas reinhardtii (green algae) - 13,3

mg/l - 72 h

Remarks: (ECHA)

Toxicity to bacteria static test EC50 - activated sludge - 0,48 mg/l - 24 h

Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 14 d

Result: 0 % - Not readily biodegradable.

(OECD Test Guideline 301C)

Theoretical oxygen
demand

1.346 mg/g

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent,
bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at
levels of 0.1% or higher.

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and
containers, or contact us there if you have further questions

14. TRANSPORT INFORMATION

14.1 UN number

ADR/RID: 1888 IMDG: 1888 IATA: 1888

14.2 UN proper shipping name

ADR/RID: CHLOROFORM

IMDG: CHLOROFORM

IATA: Chloroform

14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the
substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No.
1907/2006.

Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture,
placing on the market and use of certain
dangerous substances, preparations and articles
(Annex XVII)

REACH - Restrictions on the manufacture,
placing on the market and use of certain
dangerous substances, preparations and articles
(Annex XVII)

: Chloroform-D1-Deuteration

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or
stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

a trademark of
HPC Standards GmbH
Permoserstrasse 15
04318 Leipzig / Germany

Phone: +49 (0)341 5295 183
Fax: +49 (0)341 5295 182
E-Mail: info@armar-europa.de
www.armar-europa.de



Seite 7/7

16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. For lab use only!