

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)  
Classifications according to Regulation (EC) No 1272/2008.  
Printdate 02 Apr 2021

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product name:

Cumene-d12

### 1.1. Catalog No.:

1057

### 1.2. Relevant identified uses of the substance or mixture

Identified: Laboratory chemical  
uses: R&D

### 1.3. Uses advised against:

ARMAR (Europa) GmbH  
Permoserstrasse 15

04318 Leipzig  
Germany

Tel. +49 341 5295 183  
Fax. +49 341 5295 182  
E-mail: info@armar-europa.de

## 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture  
Classification according to Regulation (EC) No 1272/2008  
Flammable liquids (Category 3), H226  
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335  
Aspiration hazard (Category 1), H304  
Long-term (chronic) aquatic hazard (Category 2), H411

### 2.2. Label elements

#### 2.2.1. Pictogram



#### 2.2.2.

2.2 Label elements  
Labelling according Regulation (EC) No 1272/2008 Pictogram Signal word Danger  
Hazard statement(s)  
H226 Flammable liquid and vapor.  
H304 May be fatal if swallowed and enters airways.  
H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P273 Avoid release to the environment.

P301 + P310 + P331 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do

NOT induce vomiting.

Supplemental Hazard

Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

May form explosive peroxides.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : Isopropylbenzene

Formula : C<sub>9</sub>H<sub>12</sub>

Molecular weight : 120,19 g/mol

CAS-No. : 98-82-8

EC-No. : 202-704-5

Index-No. : 601-024-00-X

Component Classification Concentration

cumene

Flam. Liq. 3; STOT SE 3;

Asp. Tox. 1; Aquatic

Chronic 2; H226, H335,

H304, H411

<= 100 %

#### 3.1.1. Formula

C<sub>9</sub>H<sub>12</sub>

#### 3.1.2. Molecular Weight (g/mol)

120.19

#### 3.1.3. CAS-No.

98-82-8

### 4. FIRST AID MEASURES

4.1 Description of first-aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance. If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse

mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

### 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## 5.4 Further information

Use water spray to cool unopened containers

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

Recommended storage temperature 2 - 8 °C

Store under inert gas.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters 8.2 Exposure controls Engineering measures Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. See section 7.1. Individual protection measures Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier. Hygiene measures Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. Eye/face protection Safety glasses

Hand protection

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. This recommendation applies only to the product stated in the safety data sheet supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves. Other protective equipment: Flame retardant antistatic protective clothing Respiratory protection required when vapours/aerosols are generated. Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented. Environmental exposure controls Do not empty into drains. Risk of explosion.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear

Color: colorless

b) Odor No data available

c) Odor Threshold No data available

d) pH No data available

e) Melting

point/freezing point

Melting point/range: -96 °C - lit.

f) Initial boiling point

and boiling range

152 - 154 °C - lit.

g) Flash point 31,0 °C - closed cup  
h) Evaporation rate No data available  
i) Flammability (solid, gas)  
No data available  
j) Upper/lower flammability or explosive limits  
Upper explosion limit: 6,5 %(V)  
Lower explosion limit: 0,9 %(V)  
k) Vapor pressure 10,7 hPa at 20,0 °C  
l) Vapor density No data available m) Relative density 0,864 g/mL at 25 °C  
n) Water solubility 0,06 g/l at 25 °C - slightly soluble  
o) Partition coefficient: n-octanol/water  
log Pow: 3,55 at 23 °C  
p) Autoignition temperature  
425,0 °C  
q) Decomposition temperature  
No data available  
r) Viscosity No data available  
s) Explosive properties No data available  
t) Oxidizing properties No data available  
9.2 Other safety information  
Surface tension 27,69 mN/m at 25 °C

## 10. STABILITY AND REACTIVITY

10.1 Reactivity  
No data available  
10.2 Chemical stability  
Stable under recommended storage conditions.  
Stable under recommended storage conditions.  
10.3 Possibility of hazardous reactions  
No data available  
10.4 Conditions to avoid  
Heat, flames and sparks.  
10.5 Incompatible materials  
Strong oxidizing agents  
10.6 Hazardous decomposition products  
Hazardous decomposition products formed under fire conditions. - Carbon oxides  
Other decomposition products - No data available  
In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects  
Acute toxicity  
No data available  
Skin corrosion/irritation  
Skin - Rabbit  
Result: No skin irritation  
(OECD Test Guideline 404)  
Drying-out effect resulting in rough and chapped skin Serious eye damage/eye irritation  
Eyes - Rabbit  
Result: No eye irritation - 72 h  
(OECD Test Guideline 405)  
Respiratory or skin sensitization  
Maximization Test - Guinea pig  
Result: negative  
(OECD Test Guideline 406)  
Germ cell mutagenicity  
Mutagenicity (mammal cell test): chromosome aberration.  
Chinese hamster ovary cells  
Result: negative  
Ames test  
Salmonella typhimurium  
Result: negative  
In vitro mammalian cell gene mutation test  
Chinese hamster ovary cells  
Result: negative  
unscheduled DNA synthesis assay

rat hepatocytes  
Result: negative  
OECD Test Guideline 474  
Mouse - male and female - Red blood cells (erythrocytes)  
Result: negative  
OECD Test Guideline 474  
Rat - male - Bone marrow  
Result: Positive results were obtained in some in vivo tests.  
Carcinogenicity  
IARC: 2B - Group 2B: Possibly carcinogenic to humans (cumene)  
Reproductive toxicity  
No data available Specific target organ toxicity - single exposure  
Inhalation - May cause respiratory irritation. - Respiratory Tract  
Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)  
Acute oral toxicity - gastric pain, Vomiting  
Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Headache,  
Nausea, Vomiting, Possible damages:., damage of respiratory tract  
Specific target organ toxicity - repeated exposure  
No data available  
Aspiration hazard  
Aspiration may cause pulmonary edema and pneumonitis.  
Additional Information  
RTECS: GR8575000  
narcosis, Central nervous system depression, Dermatitis, Gastrointestinal disturbance,  
Damage to the lungs., Liver injury may occur., Kidney injury may occur.  
To the best of our knowledge, the chemical, physical, and toxicological properties have not  
been thoroughly investigated.  
After uptake of large quantities: somnolence, Dizziness, narcosis  
Effect potentiated by: ethanol  
Handle in accordance with good industrial hygiene and safety practice

## 12. ECOLOGICAL INFORMATION

12.1 Toxicity  
Toxicity to fish flow-through test LC50 - Cyprinodon variegatus (sheepshead minnow) - 4,7 mg/l - 96 h  
(US-EPA)  
Toxicity to daphnia  
and other aquatic  
invertebrates  
static test EC50 - Daphnia magna (Water flea) - 2,14 mg/l - 48 h  
(OECD Test Guideline 202)  
Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - 2,01 mg/l - 72 h  
(OECD Test Guideline 201)  
Toxicity to bacteria static test EC50 - activated sludge - > 2.000 mg/l - 3 h  
(OECD Test Guideline 209)  
12.2 Persistence and degradability  
Biodegradability aerobic - Exposure time 20 d  
Result: 70 % - Readily biodegradable.  
Remarks: (ECHA)  
12.3 Bioaccumulative potential  
No data available  
12.4 Mobility in soil  
No data available  
12.5 Results of PBT and vPvB assessment  
This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.  
12.6 Other adverse effects  
Toxic to aquatic life with long lasting effects.  
Discharge into the environment must be avoided

## 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods  
Product  
Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.  
Contaminated packaging  
Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

14.1 UN number  
ADR/RID: 1918 IMDG: 1918 IATA: 1918  
14.2 UN proper shipping name  
ADR/RID: ISOPROPYLBENZENE  
IMDG: ISOPROPYLBENZENE  
IATA: Isopropylbenzene  
14.3 Transport hazard class(es)  
ADR/RID: 3 IMDG: 3 IATA: 3  
14.4 Packaging group  
ADR/RID: III IMDG: III IATA: III  
14.5 Environmental hazards  
ADR/RID: yes IMDG Marine pollutant: yes IATA: no  
14.6 Special precautions for user  
No data available

#### 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  
This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.  
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)  
:  
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)  
:  
15.2 Chemical Safety Assessment  
For this product a chemical safety assessment was not carried out

#### 16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. For lab use only!