

## Safety Data Sheet

according to Regulation (EC) No 1907/2006 (REACH)  
Classifications according to Regulation (EC) No 1272/2008.  
Printdate 02 Nov 2022

## 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product name:

Dichloromethane-d2

### 1.1. Catalog No.:

1075

### 1.2. Relevant identified uses of the substance or mixture

Identified: Laboratory chemical  
uses: R&D

### 1.3. Uses advised against:

HPC Standards GmbH  
Permoserstrasse 15

04318 Leipzig  
Germany

Tel. +49 341 5295 183  
Fax. +49 341 5295 182  
E-mail: info@armar-europa.de

## 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture  
Classification according to Regulation (EC) No 1272/2008  
Skin irritation (Category 2), H315  
Eye irritation (Category 2), H319  
Carcinogenicity (Category 2), H351  
Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336  
Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335  
Specific target organ toxicity - repeated exposure, Oral (Category 2), Liver, Blood, H373  
Specific target organ toxicity - repeated exposure, Inhalation (Category 2), Central nervous system, H373

### 2.2. Label elements

#### 2.2.1. Pictogram



#### 2.2.2.

2.2 Label elements  
Labelling according Regulation (EC) No 1272/2008  
Pictogram Signal word Warning  
Hazard statement(s)  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.

H335 May cause respiratory irritation.  
H336 May cause drowsiness or dizziness.  
H351 Suspected of causing cancer.  
H373 May cause damage to organs (Liver, Blood) through prolonged or repeated exposure if swallowed.  
H373 May cause damage to organs (Central nervous system) through prolonged or repeated exposure if inhaled.  
Precautionary statement(s)  
P261 Avoid breathing vapours.  
P281 Use personal protective equipment as required.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Supplemental Hazard Statements  
none  
2.3 Other hazards  
This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances  
Synonyms : dichloro(2H2)methane  
Formula : CD<sub>2</sub>Cl<sub>2</sub>  
Molecular weight : 86,95 g/mol  
CAS-No. : 1665-00-5  
EC-No. : 216-776-0  
Component Classification Concentration  
DICHLOROMETHANE-D<sub>2</sub>  
Skin Irrit. 2; Eye Irrit. 2;  
Carc. 2; STOT SE 3; H315,  
H319, H351, H336  
≤ 100 %

#### 3.1.1. Formula

CCl<sub>2</sub>D<sub>2</sub>

#### 3.1.2. Molecular Weight (g/mol)

86.94

### 3.1.3. CAS-No.

1665-00-5

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

#### Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult

#### a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIRE-FIGHTING MEASURES

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Hydrogen chloride gas

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

No data available

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Heat sensitive. Store under inert gas. Hygroscopic.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters Ingredients with workplace control parameters 8.2 Exposure controls Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Personal protective equipment

Eye/face protection Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Body Protection Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Respiratory protection For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

b) Odour No data available

c) Odour Threshold No data available

d) pH No data available

e) Melting

point/freezing point

Melting point/range: -96,99 °C

f) Initial boiling point

and boiling range

40 °C - lit.

g) Flash point No data available

h) Evaporation rate No data available

i) Flammability (solid,  
gas)

No data available

j) Upper/lower

flammability or

explosive limits

Upper explosion limit: 22 %(V)

Lower explosion limit: 14 %(V)

k) Vapour pressure 1.687,3 hPa at 55 °C

470,8 hPa at 20 °C

l) Vapour density 3 - (Air = 1.0)

m) Relative density 1,362 g/cm<sup>3</sup> at 25 °C

n) Water solubility slightly soluble

o) Partition coefficient:  
n-octanol/water  
No data available  
p) Auto-ignition  
temperature  
556,1 °C  
662,0 °C  
q) Decomposition No data available temperature  
r) Viscosity No data available  
s) Explosive properties No data available  
t) Oxidizing properties No data available  
9.2 Other safety information  
Relative vapour  
density  
3 - (Air = 1.0)

## 10. STABILITY AND REACTIVITY

10.1 Reactivity  
No data available  
10.2 Chemical stability  
Stable under recommended storage conditions.  
10.3 Possibility of hazardous reactions  
No data available  
10.4 Conditions to avoid  
Heat  
10.5 Incompatible materials  
Alkali metals, Aluminum, Strong oxidizing agents, Bases  
10.6 Hazardous decomposition products  
Hazardous decomposition products formed under fire conditions. - Carbon oxides, Hydrogen  
chloride gas  
Other decomposition products - No data available  
In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects  
Acute toxicity  
LDLo Oral - Human - 357 mg/kg  
Remarks: (RTECS)  
LD50 Oral - Rat - male and female - > 2.000 mg/kg  
(OECD Test Guideline 401)  
LC50 Inhalation - Rat - 4 h - 60,14 mg/l  
Remarks: (Lit.)  
LD50 Dermal - Rat - male and female - > 2.000 mg/kg  
(OECD Test Guideline 402)  
Skin corrosion/irritation  
Skin - Rabbit  
Result: Irritations - 4 h  
(OECD Test Guideline 404)  
Repeated or prolonged exposure may cause skin irritation and dermatitis, due to  
degreasing properties of the product.  
Serious eye damage/eye irritation  
Eyes - Rabbit  
Result: Eye irritation Remarks: (ECHA)  
Respiratory or skin sensitisation  
Local lymph node assay (LLNA) - Mouse  
Result: negative  
(OECD Test Guideline 429)  
Germ cell mutagenicity

Ames test

Salmonella typhimurium

Result: positive

Mutagenicity (mammal cell test): chromosome aberration.

Chinese hamster ovary cells

Result: positive

OECD Test Guideline 474

Mouse - male and female - Bone marrow

Result: negative

Carcinogenicity

Suspected of causing cancer.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

Specific target organ toxicity - single exposure

Inhalation - May cause drowsiness or dizziness. - Central nervous system

Acute oral toxicity - Nausea, Vomiting, Risk of aspiration upon vomiting., Aspiration may cause pulmonary oedema and pneumonitis.

Acute inhalation toxicity - mucosal irritations

Specific target organ toxicity - repeated exposure

Aspiration hazard

Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 104 Weeks - No observed adverse effect level - 6 mg/kg

Repeated dose toxicity - Rat - male and female - Inhalation - 104 Weeks

RTECS: Not available Dichloromethane is metabolized in the body producing carbon monoxide which increases and sustains carboxyhemoglobin levels in the blood, reducing the oxygen-carrying capacity of the blood., Acts as a simple asphyxiant by displacing air., anesthetic effects, Difficulty in breathing, Headache, Dizziness, Prolonged or repeated contact with skin may cause:, defatting, Dermatitis, Contact with eyes can cause:, Redness, Blurred vision, Provokes tears., Effects due to ingestion may include:, Gastrointestinal discomfort, Central nervous system depression, Paresthesia., Drowsiness, Convulsions, Conjunctivitis., Pulmonary edema. Effects may be delayed., Irregular breathing., Stomach/intestinal disorders, Nausea, Vomiting, Increased liver enzymes., Weakness, Heavy or prolonged skin exposure may result in the absorption of harmful amounts of material., Abdominal pain, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Systemic effects:

After absorption of large quantities CNS disorders, Drowsiness, Dizziness, drop in blood pressure, Cardiac irregularities, depressed respiration, inebriation, Unconsciousness, narcosis, respiratory paralysis

Swallowing may result in damage to the following:

Liver, Kidney

The following applies to aliphatic halogenated hydrocarbons in general: systemic effect:

narcosis, cardiovascular disorders. Toxic effect on liver, kidneys.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.

Blood - Irregularities - Based on Human Evidence

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) -

193 mg/l - 96 h

(US-EPA)

Toxicity to daphnia

and other aquatic

invertebrates

static test EC50 - Daphnia magna (Water flea) - 27 mg/l - 48 h

(US-EPA)

Toxicity to algae static test EbC50 - Pseudokirchneriella subcapitata (green algae) - >

662 mg/l - 96 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - 2.590 mg/l - 40 min

(OECD Test Guideline 209)

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d

Result: 68 % - Readily biodegradable.

(OECD Test Guideline 301D)

### 12.3 Bioaccumulative potential

### 12.4 Mobility in soil

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects**

Discharge into the environment must be avoided

**13. DISPOSAL CONSIDERATIONS**

**13.1 Waste treatment methods**

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product

**14. TRANSPORT INFORMATION**

**14.1 UN number**

ADR/RID: 1593 IMDG: 1593 IATA: 1593

**14.2 UN proper shipping name**

ADR/RID: DICHLOROMETHANE

IMDG: DICHLOROMETHANE

IATA: Dichloromethane

**14.3 Transport hazard class(es)**

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

**14.4 Packaging group**

ADR/RID: III IMDG: III IATA: III

**14.5 Environmental hazards**

ADR/RID: no IMDG Marine pollutant: no IATA: no

**14.6 Special precautions for user**

No data available

**15. REGULATORY INFORMATION**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

**15.2 Chemical safety assessment**

For this product a chemical safety assessment was not carried out

a trademark of  
HPC Standards GmbH  
Permoserstrasse 15  
04318 Leipzig / Germany

Phone: +49 (0)341 5295 183  
Fax: +49 (0)341 5295 182  
E-Mail: [info@armar-europa.de](mailto:info@armar-europa.de)  
[www.armar-europa.de](http://www.armar-europa.de)



Seite 8/8

## 16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. For lab use only!