Tel. +49 34291 / 33 72 36 Fax +49 34291 / 33 72 39 E-Mail: info@armar-europa.de

www.armar-europa.de



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006 (REACH) Classifications according to Regulation (EC) No 1272/2008. Printdate 22 Jul 2024

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product name:

Acetone-d6, cont. 0.03 v/v% TMS

## 1.1. Catalog No.:

1245-1X10ML

#### 1.2. Relevant identified uses of the substance or mixture

Identified: Laboratory chemical uses: R&D

# 1.3. Uses advised against:

HPC Standards GmbH Permoserstrasse 15

04318 Leipzig Germany

Tel. +49 341 5295 183 Fax. +49 341 5295 182 E-mail: info@armar-europa.de

## 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008
Flammable liquids (Category 2), H225
Eye irritation (Category 2), H319
Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

### 2.2. Label elements

# 2.2.1. Pictogram





### 2.2.2.

Signal word Danger Hazard statement(s) H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Precautionary statement(s) P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P370 + P378 In case of fire: Use dry powder or dry sand to extinguish. P403 + P235 Store in a well-ventilated place. Keep cool.

a trademark of HPC Standards GmbH Am Wieseneck 7

04451 Cunnersdorf / Germany

ISOTOPES Seite 2/7

Tel. +49 34291 / 33 72 36 Fax +49 34291 / 33 72 39

E-Mail: info@armar-europa.de Supplemental Hazard information (EU) E-Mail: info@armar-europa.de EUH066 Repeated exposure may cause skin dryness or cratching.mar-europa.de 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

3.1 Substances
Formula: C3H6O
Molecular Weight: 58,08 g/mol
CAS-No.: 67-64-1
EC-No.: 200-662-2
Index-No.: 606-001-00-8
Hazardous ingredients according

Hazardous ingredients according to Regulation (EC) No 1272/2008 Component Classification Concentration

Acetone CAS-No. EC-No. Index-No.

Flam. Liq. 2; Eye Irrit. 2; STOT SE 3; H225, H319, H336

Hazardous ingredients according to Directive 1999/45/EC Component Classification Concentration

Acetone CAS-No. EC-No. Index-No. 67-64-1 200-662-2 606-001-00-8

F, Xi, R11 - R36 - R66 - R67 <= 100 %

### 3.1.1. Formula

C3D6O

## 3.1.2. Molecular Weight (g/mol)

64.12

Tel. +49 34291 / 33 72 36 Fax +49 34291 / 33 72 39 E-Mail: info@armar-europa.de www.armar-europa.de



3.1.3. CAS-No.

666-52-4

#### 4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact
Wash off with soap and plenty of water. Consult a physician.

In case of eye contact
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

## 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters
Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

# 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

6.2 Environmental precautions
Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). 6.4 Reference to other sections

For disposal see section 13.

Tel. +49 34291 / 33 72 36 Fax +49 34291 / 33 72 39 E-Mail: info@armar-europa.de www.armar-europa.de



#### 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic

For precautions see section 2.2.
7.2 Conditions for safe storage, including any incompatibilities
Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of the proper glove and good laboratory practices. contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

**Body Protection** 

Impérvious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engine protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties a) Appearance Form: liquid, clear

Colour: colourless

b) Odour no data available c) Odour Threshold no data available

d) pH no data available
e) Melting point/freezingpoint
Melting point/range: -94 °C
f) Initial boiling point and boiling range 56 °C

át 1.013 hPa

g) Flash point -17,0 °C - closed cup h) Evapouration rate no data available

i) Flammability (solid, gas) no data available j) Upper/lower flammability or explosive limits Upper explosion limit: 13 %(V)

Tel. +49 34291 / 33 72 36

Fax +49 34291 / 33 72 39 E-Mail: info@armar-europa.de www.armar-europa.de

Lower explosion limit: 2 %(V) k) Vapour pressure 533,3 hPa at 39,5 °C 245,3 hPa

at 20,0 °C

l) Vapour density no data available m) Relative density 0,791 g/mL at 25 °C n) Water solubility completely miscible

o) Partition coefficient: noctanol/water

lóg Pow: -0,24

q) Decomposition temperature 465,0 °C q) Decomposition temperature no data available r) Viscosity no data available

s) Explosive properties no data available t) Oxidizing properties no data available 9.2 Other safety information

Surface tension 23,2 mN/m at 20,0 °C



## 10. STABILITY AND REACTIVITY

10.1 Reactivity

no data available

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Strong oxidizing agents
10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

In the event of fire: see section 5

### 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity
LD50 Oral - Rat - 5,800 mg/kg(Acetone)
Remarks: Behavioral:Altered sleep time (including change in righting reflex). Behavioral:Tremor.
Behavioral:Headache. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.
LC50 Inhalation - Rat - 8 h - 50,100 mg/m3(Acetone)
Remarks: Drowsiness Dizziness Unconsciousness
LD50 Dermal. Guisea pig. 7,426 mg/kg(Acetone)

LD50 Dermal - Guinea pig - 7,426 mg/kg(Acetone) Skin corrosion/irritation

Skin - Rabbit(Acetone)

Result: Mild skin irritation - 24 h Serious eye damage/eye irritation Eyes - Rabbit(Acetone) Result: Eye irritation - 24 h

Respiratory or skin sensitisation - Guinea pig(Acetone)

Result: Does not cause skin sensitisation.

Germ cell mutagenicity

No data available (Acetone)

Carcinogenicity
This product is or contains a component that is not classifiable as to its classification.(Acetone)

(Acetone)

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity

No data available(Acetone)

Tel. +49 34291 / 33 72 36 Fax +49 34291 / 33 72 39 E-Mail: info@armar-europa.de

www.armar-europa.de



Specific target organ toxicity - single exposure May cause drowsiness or dizziness.(Acetone) Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available (Acetone) Additional Information

RTECS: Not available To the best of our knowledge, the chemical, physical, and toxicological properties have not been

thoroughly investigated.(Acetone)
Kidney - Irregularities - Based on Human Evidence(Acetone)
Skin - Dermatitis - Based on Human Evidence(Acetone)

#### 12. ECOLOGICAL INFORMATION

12.1 Toxicity Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 5,540 mg/l - 96 h(Acetone) Toxicity to daphnia and other aquatic invertebrates LC50 - Daphnia magna (Water flea) - 8,800 mg/l - 48 h(Acetone) Toxicity to algae Remarks: No data available 12.2 Persistence and degradability
Biodegradability Result: 91 % - Readily biodegradable.
(OECD Test Guideline 301B) 12.3 Bioaccumulative potential Does not bioaccumulate. 12.4 Mobility in soil No data available(Acetone)
12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. 12.6 Other adverse effects

No data available

# 13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

## 14. TRANSPORT INFORMATION

14.1 UN number ADR/RID: 1090 IMDG: 1090 IATA: 1090 14.2 UN proper shipping name ADR/RID: ACETONE

Tel. +49 34291 / 33 72 36 Fax +49 34291 / 33 72 39 E-Mail: info@armar-europa.de www.armar-europa.de



IMDG: ACETONE
IATA: Acetone
14.3 Transport hazard class(es)
ADR/RID: 3 IMDG: 3 IATA: 3
14.4 Packaging group
ADR/RID: II IMDG: II IATA: II
14.5 Environmental hazards
ADR/RID: no IMDG Marine pollutant: no IATA: no 14.6 Special precautions for user no data available

# 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.
15.2 Chemical safety assessment For this product a chemical safety assessment was not carried out

## 16. OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. For lab use only!